

Kinosaki International Arts Center

Equipment List (Stage equipment)

2022/5/13

Category	Size	Quantity	Note
Wooden Deck	909mm×1818mm	50	Black, no handle
	1212mm×1818mm	42	
	909mm×909mm	5	Black
Clamps		142	Silver
Stage legs/ Risers and Blocks	Leg H=534mm	36	
	Block W 303mm × L 198mm × H 534mm	41	
	Block W 231mm × L 198mm × H 303mm	6	
	Block W 150mm × L 150mm × H 90mm	38	Black
Black Panels (wooden frame, cloth)	1818mm × 3636mm	8	
	606mm × 3636mm	6	
	303mm × 3636mm	2	
Panel Legs	H 1818mm	12	
	H 1212mm	4	
Hand Clamp	total length 225mm	4	Silver
	total length 227mm	4	Black
Staircases	(2 steps) total width 606mm	4	Black
	(2 steps) total width 1212mm	2	Black
Mobile Scaffolding Tower	(2-story)	6	Silver H4m
	(3-story)	1	Silver
Tall scope	5.8m~7.3m	1	Silver
Linoleum	909mm×20000mm	7	Black⇔Gray
	909mm×12720mm	8	Black⇔Gray
Needlepunched Carpet	Width 909mm , Length 14530mm	6	Black
Needlepunched Carpet (Width 910mm, Black)	910mm × 10110mm	1	
	900mm × 7310mm	1	
	900mm × 4500mm	2	
	910mm × 2320mm	1	
	900mm × 1800mm	2	
	900mm × 1700mm	1	
	920mm × 1570mm	3	
Needlepunched Carpet (Width 1810mm, Black)	1810mm × 23550mm	1	
	1810mm × 15140mm	1	
	1810mm × 14980mm	1	
	1810mm × 12650mm	1	
	1810mm × 7400mm	1	
	1810mm × 7200mm	1	
	1810mm × 4340mm	1	

Black Curtain and Screen	W18m×H6m	1	Pleated
	W3m×H8.4m	2	Pleated
	for scaffolding tower W7m×H4.5m	2	Non-pleated
	Backdrop (screen) W8.6m×H4.75m	1	About 600 inch(16:9)
	Backdrop (screen) W14.4m×H6m	1	About 385 inch, Projection size about 300inch
	Portable Projector Screen 2m×1.5m	1	100 inch
Projector (PT-DX820JB)	Panasonic PT-DX820JB	1	Brightness 8200lm pixel quantity 1024×768 input HDMI,DVI,VGA,RGB1,RGB2,LAN,USB
Lens for PT-DX820JB	ETDLE250	1	
	ETDLE350	1	
Projector	EPSON EB-U42	1	Brightness 3600lm input:VGA, HDMI×2
Television monitor	Panasonic TH-L50E60	1	50inch, pixel quantity 1920×1080 input:HDMI×3, USB×2
Handycam	SONY FDR-AX700	1	14.2 megapixels, Zoom optical 12x, 4K/HD recording support output:HDMI
Video cable	VGA 10m	1	
	VGA 20m	2	
	VGA 30m	1	
	VGA chain connector	1	
	HDMI 5m	1	
	HDMI 20m	3	
	HDMI chain connector	1	
Capture board	HDMI video capture CLASSIC PRO CHD201	1	
Temporary Seating	Step W800mm × L250mm × H120mm	24	
	Handrail : W910mm×H1100mm	12	
	Handrail : W1820mm×H1100mm	8	
	Steel Frame	36	Maximum width 12.7m×6 steps *Only odd-numbers widths can be set up using steel frames, but you may additionally use wooden blocks for even-numbered widths.
	Wooden block steps	6	Used for when desired widths are even-numbered (6 steps available)
Piano	Grand Piano YAMAHA C7	1	
	Adjustable Piano Chair	1	
Music stand	PLAYTECH MS20BK	4	
	KIKUTANI Foldable	2	
Truss	Black	6	

Single pipe	0.8m	10	Silver
	1m	6	
	1.2m	4	
	1.5m	13	
	2m	8	
	2.5m	4	
	2.8m	1	
	3m	7	
	4m	3	Black
	5m	4	Black
Clamp	Orthogonal clamp	39	
	Adjustable clamp	26	
	Rafter clamp	4	
	Hook clamp	4	
	Single pipe joints	12	
	Fixed base	10	
Miscellaneous	Speech Table W1200mm×L600mm×H1000mm	1	
	Lecture Table W650mm×L480mm×H1070mm	1	(Dark Brown)
	Lecture Table W840mm×L520mm×H950mm	1	(Brown)
	Flower stand W600mm×L600mm×H685mm	1	
	Double LED FlexLight K&M 12243	6	
	Clip Light	5	
	Signboards	1	5.45m×0.75m
	Stage lights	13	Red×6, blue×6, Blinking red×1
Tables and Chairs	Long Table : W1800mm×L450mm,H700mm	140	Brown (heavy)
	Long Table : W1800mm×L450mm,H710mm (with front attachment)	10	Brown (heavy)
	Stackable chairs W460mm×L430mm×H810mm	450	Metal chairs with blue seats
Stepladder	H 1818 mm	2	
	H 1400 mm	1	
	H 1212 mm	1	
	H 800 mm	1	
	H 750 mm	1	

Extension cords	5 m 1-pronged	3	15A
	5 m 3-pronged	3	15A
	10 m 1-pronged	4	12A
	10 m 3-pronged	3	15A
	12 m 1-pronged	1	12A
	20 m 1-pronged	1	12A
	20 m 3-pronged	2	12A
	25 m 1-pronged	1	7A
	30 m 1-pronged	1	12A
	Extension cable drum 30 m 3-pronged, 4-pronged	6	3-pronged×2, 4-pronged×4
LAN cable	10m	3	Category 6A
	20m	1	
	50m	1	
	Extension Connectors	1	Category 6A, 8-pin, 8-core
Tools	Staple gun	1	
	Angle grinder	1	
	Electric sander	1	
	Sliding Circular saw (makita)	1	Outer diameter 190mm
	Circular saw (makita)	1	Outer diameter 165mm
	Table saw (HITACHI)	1	Outer diameter 255mm
	Electric Jigsaw	1	
	Electric Handheld Router	1	
	Impact Driver (makita)	2	Lithium ion battery 14.4V
	Vacuum cleaner (makita)	3	Battery-powered 14.4V (2), 10.8V (1)

Kinosaki International Arts Center

Equipment List (Sound equipment)

2022/5/13

Name	Model Number	Quantity	Specification
Hall			
Main Mixing Console	YAMAHA LS9-16	1	Input 16ch (XLR) OMNI Out 8ch (XLR) Network (Ethernet) MIDI In / Out Word clock In / Out USB1.1 (not battery supported)
Processor	xta DP224 (for Main)	1	
Digital Mixing Engine	YAMAHA DME24N	1	USB1.1 MID in / out / thru WORD CLOCK in / out GPI in / out, +V(5V) Ethernet
Poweramp	HYFAX PR4023A (for Main)	2	250W×2
	YAMAHA XP5000 (for Left and right of the stage)	1	500W×2ch (8Ω)
	YAMAHA XM4180 (for Left and right of the stage)	1	180W×4ch (8Ω)
Main Loudspeaker (1/2) L/R	Full-range loudspeaker EAW FR129z	L2/R2	2WAY 90°×45°,500W(8Ω)
	Super bass loudspeaker EAW FR250z	L1/R1	15 inch double woofer
Cassette Deck	TASCAM 202MKV	1	
CD・MD Player	TASCAM MD-CD1MKⅢ	2	
Wireless Microphone Receiver	audio technica ATW-R92	3	Transmission frequency bandwidth 797.125~801.500MHz Output: balance, unbalance
Wireless Antenna	audio-technica ATW-A82a	2	
	audio technica ATW-A85	2	
Wireless Microphone	audio technica ATW-T94B (Handheld microphone)	6	Transmission frequency bandwidth
	audio technica ATW-T93B (Pin microphone)	2	806.125~809.750MHz (B 30wave)

For Rack mount

Mixing Console	YAMAHA EMX-5014C		14-input 500W×500W(4Ω) SP, ST out ST SUB out AUX out1,2 EFFECT out REC out L, R
Digital Sound Recorder	TASCAM SS-R200		
CD Recorder	TASCAM CD-RW900SL		
Wireless Receiver	audio technica ATW-R920	2	Transmission frequency bandwidth 779.125~787.875MHz 797.125~805.875MHz 806.125~809.750MHz output: balance (-48V), unbalance (-28V)
Wireless Microphone	audio-technica ATW-T940 (Handheld microphone) audio-technica ATW-T930 (Pin microphone)		

equipment

Mixing Console	YAMAHA MG12XU	1	Input 12ch Main Out LR AUX 2ch
	BEHRINGER XENYX X1002FX	1	in 10ch MAIN Out LR FX send 1ch
	Peavey 2002-16 RQ Unity Series Mixer	1	input 16ch(XLR) MAIN out LR Monitors OUT A,B
Poweramp	HYFAX PR8023A	2	500w×2ch(Portable)
Loudspeaker	Electro-Voice QRX112/75	2	300w(8Ω)
	Electro-Voice SX300	4	300w(8Ω)
	Electro-Voice ZX1-90	2	200w(8Ω)
	EAW SM129Z	4	450w(8Ω)
	YAMAHA MS101Ⅲ	2	10w(4Ω)
	MACKIE CR3	1	50w
Speaker stand	Electro-Voice 200T	4	
	CLASSIC PRO SPS	2	

Dynamic Microphone	SHURE SM58	6	With a switch
	SHURE SM57	2	
	SHURE PG57	4	
	RANSA WM-D170SW-K	2	
	SONY F-P5500	6	
Condenser microphone	Electro-Voice PC-DESKTOP	2	Desktop Mic
Microphone Stand	K&M 210B	4	Standard boom mic stand
	CLASSIC PRO	2	
	TOA	2	
	K&M 259B	2	Short boom mic stand
	CLASSIC PRO	4	
	K&M ST200	6	Straight mic stand
	K&M ST233B	4	Desktop mic stand
	TOA ST-65	4	
	TOA ST-64	2	
	National WN172	1	
Play equipment	SONY MDS-E55	2	LINE in, out (jack plug)
Equalizer	XTA GQ600	2	2ch 30 band
Guitar amp	YAMAHA GA15II	1	output: 15w, AUX in
Multi	CANARE 16J12F12	2	16ch BOX
	Multi BOX	1	50m
Intercom	Clear-Com PS-702	1	
	Clear-Com RS-701	5	
Recording device	Zoom H6	1	Mic in 4ch (XLR,TRS combo jack) Phantom power: +12/+24/+48V
Audio interface	M-AUDIO M-Track Duo	1	2ch input, LINE out
Bluetooth transmitter	TaoTronics TT-BA09 Pro	1	Bluetooth transmission/reception Connection range:Approx.10m
Head phone	MDR-CD900ST	2	
Power distributor	FURMAN SS-6B	1	6-pronged

XLR cable	5m	4	
	10m	31	
	20m	4	
Speaker cable	5m	8	
	10m	4	
	20m	4	
	30m	1	
Various cables	XLR♂ – TS plug	6	
	TS plug – XLR♀	6	
	XLR♂ – RCA plug	4	
	RCA plug – RCA plug	4	
	XLR♂ – XLR♂	6	
	XLR♀ – XLR♀	6	
	TS plug – TS plug	4	
	RCA plug – TS plug	4	
	Shielded cable	2	
	Stereo mini plug – Stereo mini plug	4	
	Stereo mini plug – Stereo mini jack	1	
	Stereo mini plug – XLR♀	2	
	RCA plug×2 – RCA plug×2	6	
Y-shaped cable	XLR♂×2 – Stereo mini plug	3	
	RCA plug×2 – Stereo mini plug	4	
	TS plug×2 – Stereo mini plug	4	
	Stereo mini plug – RCA jack×2	1	
	XLR♂×2 – XLR♀	1	
Conversion / extension	XLR♂ – XLR♂	4	
	XLR♀ – XLR♀	1	
	XLR♂ – TS plug	4	
	TS plug – XLR♀	3	
	TS plug – TS plug	2	
	TS jack – TS jack	3	
	Stereo mini plug – TS jack	4	
	RCA plug – TS jack	1	
	TS plug – RCA jack	9	
	RCA jack×2 – RCA jack×2	2	
	RCA jack×2 – Stereo mini plug	4	
	Stereo mini plug – Stereo phone plug	2	
	Stereo mini plug – Stereo mini jack	1	5m
	Speakon extension connector	6	

♂: male connector (plug)

♀: female connector (jack)

Kinosaki International Arts Center

Equipment List (Lighting equipment)

2022/5/13

Capacity: 60kVA (without temporary power) *Up to 60kW

Name	Symbol	Specification	Quantity	Channels	Notes
Console (MARUMO PRETYNA-M)		(Preset/40ch)×3, Sub/20ch, Crossfader, Memory 1,000scene	1		DMX512 (1 input/2 output)
DMX Console LitePuter CX-1204		12ch	1		
Batten (downstage)	1 S	C-20A 6-circuit receptacles× 2	1 Line	6	Up to 20A per channel
Batten (middle)	2 S	C-20A 6-circuit × 2	1 Line	6	
Batten (upstage)	3 S	C-20A 6-circuit × 2	1 Line	6	
Batten (above the audience seating)	CL	C-20A 4-circuit × 4	1 Line	8	
Electrical outlet for audience seating scaffolding tower	FC	C-30A(Capacity 20A) 8-circuit / C-20A 4-circuit	8cir +4cir	12	Backstage left box
Dimmer ZemTour3		C-20A 12-prong× 3-row (Direct outlet on the back) C-30A×1-prong C-20A×1-prong, pararell 15A×1-prong	1	36+3 (Direct)	Capacitance 40kVA(with a temporary power) ※Up to 20kW(R)+ up to 20kW(S+T)
Spotlight (Fresnel Lenz)		0.5kW MARUMO MSM-604S1-750	24		Mini C (with hook and 195mm filter holder)
Spotlight (Plano-convex Lens)		0.5kW MARUMO MSC-608-750	20		Mini C (with hook and 195mm filter holder)
		1.0kW MARUMO MSC-810-1500	40		Mni C (with hook and 245mm filter holder)
Ellipsoid Halogen 36C		0.75kW MARUMO RIKURI ECR2-36C-750	6		Mini C (with hook, 158mm filter holder, and gobo holder)
Ellipsoid Halogen 50C		0.75kW MARUMO RIKURI ECR2-50C-750	6		Mini C (with hook, 158mm filter holder, and gobo holder)
Par Light		GONG PAR-G-64 PAR64 500W Lamp:GE/JP100V500WC-N/E	10		
LED mini par		ELIMINATOR Mini Par RGBW LED	4		14W, plug
Light stand		MARUMO SK2-K2	6		H 1300mm~2085mm
Long hanger		MARUMO HAL	4		
Split type double arm		MARUMO AMT	4		
Round Base Light Stand		MARUMO SHB-15	6		H 150mm
Round Base Light Stand		MARUMO SM2	6		H 935mm~1635mm
Lighting flat base		MARUMO SHB10	7		
Smoke machine		Antari Pro-silk PG500	1		with remote control (ST phone plug, 10m) 250w, Oil-based, *Prior application required for use
Extention Cord		2m	32		Mini C
		3m	13		
		5m	10		
		10m	20		
		20m	7		
Extension Cord		About 1m, forked branch	26		Mini C- Mini C×2
		About 1m	8		C-Mini C×2
Converter cable		About 1m	8		Mini C-C
		About 1m	10		C-Mini C
		About 70cm	3		Mini C-T (for lower horizont light)
		About 50cm	5		Mini C-Parallel power
		About 50cm	8		Parallel power-Mini C
DMX cable		50m	1		5 conductor
		20m	1		
		10m	4		
		10m	1		
		5m	2		3 conductor
		3m	2		
Filter holder		4 inch	12		
		6 inch	44		
		8 inch	40		
		8 inch	10		For pearlite
Metal rod		3 sections	1		Length 3441mm~7000mm